



INDEX MAPS.

T 27N, R. 5 E. 2nd Mer.



T. 28N R. 5 E. 2nd Mer.



The figures on the lines refer to the page.

145

Township N. 27 North, Range N. 5 East 2. Mer. Ind. a.

Township Lines.

Ch. L. M. South Boundary.

West on the S. Boundary of Sec. 36

9.33 a W. Oak 48 in. dia.

31.50 a Stream 30 ft. wide course S.

40.00 set of sec. part from which

a Sugar 24 in. dia. bears N 75 E 40 ft. dist. &

a Do 24 " " " N 56 W 14 " "

61.21 a Sugar 24 " "

80.00 set part cor. of sec. 35 & 36 from which

a Sugar 22 in. dia. bears N 56 E 23 ft. dist. &

a Beech 18 " " " N 57 W 42 " "

Land rolling & T. rate. Timber principally

Beech & Sugar; some Oak, Ash, Walnut & Poplar

At q. sec. part an Indian Sugar camp.

West on the S. Boundary of Sec. 35

9.07 a Stream 25 ft. wide course NW

15.68 a Beech 15 in. dia.

20.47 a Stream 4 ft. wide course N.

32.74 a Beech 18 in. dia.

40.00 set of sec. part from which

a Beech 24 in. dia. bears N 39 E 26 ft. dist. &

a Do 16 " " " N 64 W 25 " "

53.82 a P. Oak 20 " "

63.00 a Road, N.

67.50 a Stream 4 ft. wide course NW. Sugar camp

73.94 a Do 3 " " " N.

80.00 set part cor. of sec. 34 & 35 from which

a Sugar 16 in. dia. bears N 55 E 61 ft. dist. &

a W. Walnut 28 " " " N 32 W 23 " "

Land T. rate. Timber same as before noted

West on the S. Boundary of Sec. 34

7.71 a Stream 8 ft. wide course N.

16.20 a Beech 18 in. dia.

T. 27 N., R. 5 E. 2^d Mer. Ind.^a
Chs. Sk.

- 40.00 set of sec. part from which
a Beech 12 in. dia. bears N 46 E 63¹/₂ W. dist. 4
a Sugar 20 " " " N 15¹/₂ W 48 " "
48.21 a stream 5 W. wide course N.
50.17 a Beech 12 in. dia.
80.00 set part cor. of sec. 33 & 34 from which
a Beech 12 in. dia. bears N 63 E 19¹/₂ W. dist. 8
a W. Oak 22 " " " N 52¹/₂ W 38 " "
Land same as last described. Timber Beech,
Sugar, Oak, Ash &c. No W. sp. May 23. 1839

West on the S. Boundary of Sec. 33

- 16.91 a Beech 20 in. dia.
28.30 a stream 4 W. wide course SW
40.00 set of sec. part from which
a Sugar 12 in. dia. bears N 10 E 27¹/₂ W. dist. 8
a Do 14 " " " N 7¹/₂ W 58 " "
59.86 a W. Oak 4 " " Road to Godfrey's NW
80.00 set part cor. of sec. 32 & 33 from which
a Sugar 20 in. dia. bears N 63 E 70¹/₂ W. dist. 8
a Beech 24 " " " N 63¹/₂ W 41 " "
First 1/4 mile level, last 3/4 mile hilly & broken
by ravines of the Mississinewa River, 2^d
rate. Timber Beech, Oak, Sugar &c. W. sp.
Spice, Ironwood &c.

West on the S. Boundary of Sec. 32

- 33.53 a Sugar 18 in. dia.
40.00 set of sec. part from which
a Beech 14 in. dia. bears N 57 E 25¹/₂ W. dist. 8
a Sugar 16 " " " N 53¹/₂ W 37 " "
55.30 Road to Godfrey's, NW
60.23 a Beech 24 in. dia.
80.00 set part cor. of sec. 31 & 32 from which
a Beech 20 in. dia. bears N 50¹/₂ E 67¹/₂ W. dist. 8
a Do 40 " " " N 30¹/₂ W 60 " "

T. 27 N., R. 5 E. 2. Mer. Ind. a

Chs. 10?

First $\frac{1}{4}$ mile broken, last $\frac{3}{4}$ mile gently rolling 1st rate. Timber Beech, Sugar, Oak, Hickory & Upr. Spice, young Sugar &c.

West on the S. Boundary of Sec. 31

7.33 an Elm 10 in. dia.

40.00 set of sec. post from which

a Hickory 12 in. dia. bears N 31 E 28 Yds. dist. &

an Oak 8 " " " N 31 W 10 " "

43.86 a Walnut 18 " "

63.30 Intersect right bank of Mississinewa River, course N 20 W. set post from which

a Hackberry 20 in. dia. bears N 15 W 29 Yds. dist. &

a W. Oak 12 " " " S 47 E 42 " "

67.91 set post on left bank of river from which

a Blue Ash 10 in. dia. bears N 8 $\frac{1}{2}$ W 11 Yds. dist. &

an Elm 36 " " " S 74 E 20 " "

69.95 set post cor. of T. 26 & 27 N, R. 4 & 5 E. from wh.

a Beech 22 in. dia. bears N 55 W 7 Yds. dist. &

a Do 18 " " " N 29 $\frac{1}{2}$ E 15 " "

(Description of land &c. omitted)

May 24. 1839

East Boundary

North on the E. Boundary of Sec. 36

8.53 a Beech 20 in. dia.

32.02 a Poplar 22 " "

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 70 W 36 Yds. dist. &

a Sugar 18 " " " N 20 W 53 " "

45.65 an Ash 28 " "

65.06 a Sugar 18 " "

67.00 a Stream 20 Yds. wide course NW.

80.00 set post cor. of Sec. 25 & 36 from which

a W. Oak 22 in. dia. bears N 30 W 50 Yds. dist. &

a Sugar 16 " " " S 51 W 80 " "

T. 27 N., R. 5 E., T. 2 Mer. Ind.^a
Chs. Chs.

Land rolling & good. Timber Beech, Sugar,
Ash, Oak &c. No Upr.

North on the E. Boundary of Sec. 25

26.42 a Beech 24 in. dia, an Indian trace N30 E

40.00 a Beech 16 " " corner tree from which
an Elm 40 " " bears N39 W 23 Mk. dist. &
a Beech 24 " " " S54 W 19 " "

44.50 enter wet Prairie, N40 E - S40 W

80.00 set port cor. of sec. 24 & 25 and raised a
mound in Prairie.

Prairie wet & rough. South of Prairie
land 1st rate.

North on the E. Boundary of Sec. 24

16.49 leave Prairie N78 W - S60 E. Oak 18 in. dia

37.00 a Buckeye 16 in. dia.

40.00 set gr. sec. port from which
a Beech 22 in. dia. bears N30 W 66 Mk. dist. &
a Dr 18 " " " S80 W 49 " "

79.58 set port on left bank of Wabash R. from which
a Buckeye 24 in. dia. bears S69 E 20 Mk. dist. &
a Sugar 10 " " " S33 W 14 " "

About 15.00 Chs. East from where the line
leaves the Prairie are the improvements of
the Miami Blacksmith & Miller.

The corresponding corner on the right bank
bears N12 E 3.86 Chs. dist.

South on the E. Boundary of Sec. 1 Var. 6.00 E.

16.83 a Beech 10 in. dia.

40.00 set gr. sec. port from which
a B. Oak 40 in. dia. bears S30 W 8 Mk. dist. &
a Poplar 6 " " " N54 W 13 " "

61.07 a Beech 14 " "

80.00 set port cor. of sec. 1 & 12 from which

149

T. 27 N., R. 5 E., 2^d Mer. Ind. a
Ch. Spr.

a Beech 12 in. dia. bears S46°W 12 Ws. dist. 8
a Do 16 " " " N12°E 39 " "
Land 2^d rate

South on the E. Boundary of Sec. 12

30.40 a Poplar 36 in. dia.

40.00 set off sec. part from which

a Buckeye 11 in. dia. bears N28°W 48 Ws. dist. 8

a Do 5 " " " S10°W 49 " "

50.41 a Beech 27 " "

80.00 set part cor. of sec. 12 & 13 from which

a Buckeye 10 in. dia. bears N3°W 40 Ws. dist. 4

a Do 10 " " " S64°W 13 " "

Land 2^d rate.

South on the E. Boundary of Sec. 13

21.90 an Elm 16 in. dia.

40.00 set off sec. part from which

a Hickory 13 in. dia. bears N36°W 21 Ws. dist. 4

a Buckeye 12 " " " S54°W 6 " "

69.03 a Buckeye 16 " "

71.62 set part on right bank of Wabash R. from which

a Hackberry 10 in. dia. bears N29°W 35 Ws. dist. 8

a Maple 8 " " " East 10 " "

Land 2^d rate.

North Boundary. Var. 600' E..

Set part on the East side of Indian Reservation
(of 5 miles wide from Wabash to Owl River) from wh.

a Beech 12 in. dia. bears N24°W 12 Ws. dist. 4

a Do 18 " " " S22°E 48 " "

East on S. Boundary of Sec. 32, T28 N., R5 E.

20.84 a Beech 18 in. dia.

28.39 set part cor. of sec. 32 & 33 from which

a Beech 13 in. dia. bears N52°W 51 Ws. dist. 8

a B. Ash 4 " " " N65°E 40 " "

T. 27 N., R. 5 E. 2. Mer. Ind.?

Chas. L. K.

East on the S. Boundary of Sec. 33, T28 N, R5 E
21.90 a Beech 20 in. dia.

40.00 set gr. sec. post from which

a Beech 17 in. dia. bears N86°W54°Urs. dist. 8

a B. Ash 9 " " " N88°E 12 " "

56.05 a Poplar 22 " "

80.00 set post cor. of sec. 33 & 34 from which

a Beech 8 in. dia. bears N43°W24°Urs. dist. 8

a B. Walnut 3 " " " N6°E 5 " "

East on the S. Boundary of Sec. 34, T28 N, R5 E
30.24 a Beech 24 in. dia.

40.00 set gr. sec. post from which

a B. Ash 10 in. dia. bears N73°W38°Urs. dist. 8

a Sugar 22 " " " N41°E 30 " "

60.72 an Elm 20 " "

80.00 set post cor. of sec. 34 & 35 from which

a Lym 5 in. dia. bears N51°W44°Urs. dist. 8

a Beech 6 " " " N25°E 16 " "

East on the S. Boundary of Sec. 35, T28 N, R5 E
25.94 a B. Ash 11 in. dia.

40.00 set gr. sec. post from which

a S. Ash 6 in. dia. bears N65°W37°Urs. dist. 8

a Do 4 " " " N38°E 4 " "

66.68 an Elm 14 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 9 in. dia. bears N80°W27°Urs. dist. 8

a Poplar 20 " " " N48°E 15 " "

East on the S. Boundary of Sec. 36, T28 N, R5 E
26.30 a Beech 12 in. dia.

40.00 set gr. sec. post from which

a Beech 13 in. dia. bears N49°W33°Urs. dist. 8

a Do 18 " " " N84°E 56 " "

56.76 a B. Ash 12 " "

T. 27 N., R. 5 E. 2^d Mer. Ind. &
Ch. Lk.

80.00 set post cor. of T. 27 & 28 N., R. 5 & 6 E. from which
a Hickory 20 in. dia. bears S 81 W 59 lks. dist. &
an Elm 15 " " " N 68 E 12 " "
Land level & 2^d rate. Timber Beech, Ash &
Oak. Upr. Junwood, Sugar & Spice
October 20. 1827 David Willis, D. S.

Cart on Plaudem from corner of T. 27 & 28 N., R. 4 & 5 E.
in S. Boundary of Sec. 31, T. 28 N., R. 5 E

12.00 enter Swamp, S.

15.00 leave "

40.00 set temp. of sec. post

40.40 " Road, NW

65.00 enter diurnal Swamp, NW

80.00 set temp. post for cor. of sec. 31 & 32

Flat 2^d rate land & Swamp. Timber Ash, Elm,
Maple, Lym, Willow & Upr. Spice, Willow &

Cart on S. Boundary of Sec. 32, T. 28 N., R. 5 E
7.50 leave Swamp

40.00 set temp. of sec. post

42.70 Intersect E. Boundary of Purchase precisely
at post in S. Boundary of Sec. 32.

Level 2^d rate land. Timber Beech, Ash,
Oak, Poplar & Upr. Spice &c

West blazed back from corner in E. Boundary
of Purchase in S. line of Sec. 32
on the S. Boundary of Sec. 32, T. 28 N., R. 5 E

6.75 a W. Elm 19 in. dia.

11.61 set of sec. post from which

a Beech 19 in. dia. bears N 62 E 7 lks. dist. &

a Do 11 " " " N 62 W 26 " "

12.44 a Beech 28 " "

17.61 a W. Elm 30 " "

51.61 set post cor. of sec. 31 & 32 from which

Chs. Sk. T. 27 N., R. 5 E. 2. Mer. Ind.^a

a Willow 8 in. dia. bears N 19 E 10 W. dist. 2
a Maple 4 " " " N 66 W 38 " "

West on the S. Boundary of Sec. 31, T. 28 N., R. 5 E.

10.11 a B. Ash 14 in. dia.

20.26 a W. Elm 7 " "

40.00 cut of sec. put from which

a Hickory 10 in. dia. bears N 45 E 15 W. dist. 2

a Sugar 12 " " " N 71 W 40 " "

45.06 a Beech 12 " "

47.48 a Gum 34 " "

71.09 cut put cor. of T. 27, 28 N., R. 4 & 5 E. from which

a W. Oak 30 in. dia. bears N 11 W 23 W. dist. 2

a Beech 19 " " " S 84 E 33 " "

West Boundary. Var. 6. E.

South on the E. Boundary of Sec. 1, T. 27 N., R. 4 E.

20.55 a Beech 24 in. dia.

27.72 a Sugar 24 " "

31.20 a Beech 20 " "

40.00 cut of sec. put from which

a Beech 18 in. dia. bears S 30 W 33 W. dist. 4

a Do 24 " " " N 70 W 41 " "

50.50 a W. Elm 28 in. dia.

59.67 a Do 30 " "

80.00 cut put cor. of Sec. 1 & 12 from which

a Poplar 28 in. dia. bears N 9 W 55 W. dist. 2

a Beech 12 " " " S 83 W 28 " "

Level 2. to land. Timber Beech, Sugar,
Elm, Ash & Wgs. Spice &c.

South on the E. Boundary of Sec. 12, T. 27 N., R. 4 E.

10.59 a Beech 20 in. dia.

15.62 a Gray Ash 30 " "

40.00 cut of sec. put from which

a B. Ash 16 in. dia. bears N 72 W 25 W. dist. 2

T. 27 N., R. 5 E. 2. Mer. Ind.
Ch. Lk.

a B. Ash 26 in. dia. bears S 63° W 19 lbs. dist.
54.78 a W. Elm 48 " "
70.14 a Sugar 28 " "
75.50 an Indian trace, NE
80.00 a Beech 12 in. dia. corner tree for sec. 12 & 13
Gently rolling 2. rate land. Timber Beech,
Sugar, Ash, Elm & Hly. Spice, B. Ash &c.

South on the E. Boundary of Sec. 13, T. 27 N., R. 4 E

10.66 a Sugar 20 in. dia.
27.42 a Gray Ash 38 in. dia.
31.94 a Sugar 30 " "
40.00 set of sec. part from which
a Beech 18 in. dia. bears N 61° W 51 lbs. dist. S
a Do 26 " " " S 56° W 54 " "
57.53 a Beech 24 " "
80.00 set part cor. of sec. 13 & 24 from which
a Beech 17 in. dia. bears S 75° W 36 lbs. dist. S
a Do 7 " " " N 77° W 45 " "
Broken 2. rate land. Timber Beech, Sugar,
Ash, Elm, Spruce, Oak & Hly. Spice &c.

South on the E. Boundary of Sec. 24, T. 27 N., R. 4 E

35.20 a Hackberry 30 in. dia.
40.00 set of sec. part from which
a Buckeye 24 in. dia. bears N 72° W 28 lbs. dist. S
a B. Walnut 28 " " " S 34° W 18 " "
49.25 over Canal E & W 75 lbs.
51.50 pass N. side of field
56.25 pass S. " " Do
62.97 a Buckeye 16 in. dia.
70.95 an Elm 30 " "
78.24 a Do 24 " "
80.00 set part cor. of sec. 24 & 25 from which
an Elm 20 in. dia. bears N 66° W 36 lbs. dist. S
a W. Walnut 8 " " " S 21° W 14 " "

Chs. Cr. T. 27 N., R. 5 E. 2.^d Mer. Ind.^a

First $\frac{1}{4}$ mile broken 2.^d rate land, last $\frac{3}{4}$ mile level rich bottom. Timber Beech, Sugar, Elm, Ash, Buckeye, Walnut &c. Spice, Pawpaw &c.

South on the Co. Boundary of Sec. 25, T. 27 N., R. 4 E.
4.20 pass Road to Fort Wayne, E.

7.30 set post on right bank of Wabash R. from which
a Hickory 9 in. dia. bears S 83 E 10 Ws. dist. &
a Hornbeam 7 " " " N 10 W 9 " "
Level rich bottom, 1.st rate land. Timber
Elm, Buckeye, Sugar, Ash &c. Upr. Spice
Pawpaw, Pickley Ash &c.

December 31. 1839 Arthur M. Vance

Deputy Surveyor.

North on the Co. Boundary of Sec. 36, T. 27 N., R. 4 E

3.40 set post on left bank of Mississinewa River from
wh. a Hackberry 24 in. dia. bears N 51 E 5 Ws. dist. &
a Sugar 12 " " " N 35 W 2 " "

7.00 cross head of an Island

17.67 over River, set post from which
an Ash 24 in. dia. bears S 61 E 5 Ws. dist. &
an W. Oak 9 " " " N 52 W 8 " "

31.97 set post on right of Mississinewa R. from which
a B. Haw 5 in. dia. bears S 46 E 8 Ws. dist. &
an Elm 6 " " " S 51 W 21 " "

41.30 over River, set post from which
a Sycamore 8 in. dia. bears N 40 W 72 Ws. dist. &
an Elm 36 " " " S 46 W 30 " "

Upper end of old Indian Village

77.46 Intersect left bank of Mississinewa River at lower
end of Indian Village, set post from which
an Elm 6 in. dia. bears N 81 W 13 Ws. dist. &

a Hackberry 18 " " " S 84 E 63 " "

80.00 sec. corner in the river inaccessible.

Land all River bottom & 1.st rate.

T. 27 N., R. 5 E. 2^d Mer. Ind.^a
Ch. Lk.

North on the E. Boundary of Sec. 25, T. 27 N., R. 4 E.

1.23 over River, set post on right bank from which
an Ash Cw. dia. bears N 47 W 3 Mts. dist. 8
an Elm 16 " " " N 73 W 35 " "

11.00 a Buckeye 18 " "

40.00 set q. sec. post from which

a Walnut 8 in. dia. bears N 84 W 26 Mts. dist. 8.

a Do 8 " " " S 39 W 39 " "

55.43 a Hackberry 8 " "

61.03 Intersect left bank of Wabash River, course
N 47 W. set post from which

a Hackberry 14 in. dia. bears S 56 E 20 Mts. dist. 8

a Do 20 " " " S 54 W 41 " "

The corresponding corner on the right bank
bears N 20 E. 5.03 Ch?

Land 1st rate bottom. May 25. 1839

Chauncy Carter

Deputy Surveyor.

Subdivision. Var. C. 00. E.

South between Sec. 1 & 2

16.50 a Branch 8 Mts. wide course SW

21.58 a Beech 6 in. dia.

40.00 set q. sec. post from which

a Beech 6 in. dia. bears S 25 E 24 Mts. dist. 8

algray Ash 8 " " " N 78 W 11 " "

42.85 a Branch 3 Mts. wide course SSE

60.30 algray Ash 20 in. dia.

60.50 a Branch 4 Mts. wide course SSE

61.34 a Branch 10 " " " SE

70.50 a Do 4 " " " SE

71.50 a Do 4 " " " E

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Sugar 10 in. dia. bears S 51 W 13 Mts. dist. 8

algray Ash 4 " " " N 80 E 24 " "

Part level, part rolling 2^d rate. Timber Beech,

T. 27 N., R. 5 E. 2^d Mer. Ind.?

Ch. Gr.

Ash, Elm, Hickory, Sugar & Upr. Spice, Ash,
Sourwood, Dogwood, Elm &c

East in Random between Sec. 1 & 12

22.25 a Stream 20 Yds. wide course SSW.

22.85 the same stream " NW.

24.00 Do Do " SW.

40.00 set temp. of sec. post

52.50 a Branch 4 Yds. wide course S.

80.00 a Do 6 " " S.

80.44 Intersect E. Boundary 23 Yds. N. of post—

Holling rich & rate land. Timber Ash, Walnut,
Beech, Elm, Hickory & Upr. Spice, Elm, Sour-
wood, Hickory &c.

West Corrected between Sec. 1 & 12

26.04 a Sugar 28 in. dia. on true line

40.22 set of sec. post at aver. dist. from which
a Beech 16 in. dia. bears S 1 E 27 Yds. dist. &
a Do 14 " " " N 20 W 25 " "

61.74 a Buckeye 12 in. dia. on true line

80.44 to sec. cor.

South between Sec. 11 & 12

7.50 a Spring branch 4 Yds. wide course SE.

25.55 a Beech 16 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 55 E 36 Yds. dist. &

a Hickory 20 " " " S 38 W 46 " "

60.50 a Beech 16 " "

68.00 a Branch 4 Yds. wide course SE

71.25 a Do 8 " " " ESE

73.00 a Spring, course E

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a W. Oak 12 in. dia. bears N 72 E 24 Yds. dist. &

a Bur Oak 8 " " " N 34 W 29 " "

T. 27 N., R. 5 E., 2^d Mer. Ind.^a
 Chas. L. H.

Rolling rich 2^d rate land. Timber Ash, Walnut,
 Beech, Sugar, Elm, W. Oak &c. Upr. Spice,
 Ironwood, Hickory, Dogwood &c.

East on Random between Sec. 12 & 13

3.80 a Spring branch 5¹/₂ lks wide course S.

4.50 enter Willow Swamp

11.00 leave Do

18.25 a Stream 15 lks. wide course SW.

32.55 a Spring branch 4 lks. wide course S.

40.00 set temp. q. sec. post

41.50 a Branch 4 lks. wide course S.

55.55 a Do 3 " " " S.

80.28 Intersect E. Boundary 28 lks. N. of post—

Rolling rich 2^d rate land. Timber Ash, Sugar,
 Elm, Ash, Lym, Beech, Walnut &c. Upr. Spice,
 Ash, Sugar, Hickory, Elm &c.

West Corrected between Sec. 12 & 13

20.27 a Sugar 24 in. dia. on true line

40.14 set q. sec. post at aver. dist. from which

a Buckeye 6 in. dia. bears S 63° W 28 lks. dist. &

a B. Walnut 3 " " " N 39° E 30 " "

60.23 a Maple 10 " " on true line

80.28 to sec. cor.

South between Sec. 13 & 14

0.50 a Spring course SE

2.00 a Do " SE

3.25 a Do " SE

4.20 a Do " SE

19.80 a Beech 10 in. dia.

23.00 a Spring branch 6 lks. wide course SE

37.00 enter Bottom land

40.00 set q. sec. post from which

a W. Thorn 4 in. dia. bears S 20° E 13 lks. dist. &

T. 27 N., R. 5 E. 2. Mer. Ind.^a
 Ch. Lk?

a Buckeye 12 in. dia. bears N 58° W 3 1/2 M. dist.

58.75 a Gray Ash 20 in. dia.

00.00 enter Pond

08.50 leave "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a N. Elm 5 in. dia. bears N 73° E 17 1/2 M. dist. &

a Hickory 6 " " " S 43 1/2° W 23 " "

First 37.00 Ch. rich rolling 2. rate land.

Balance level rich 1. rate land. Timber Ash,
 Beech, Walnut, Elm, Hackberry, Sugar, Hick-
 ary, Bur Oak & V. Upr. Spice, Ash, Hickory,
 Pawpaw &.

East on true line between Sec. 13 & 24

21.85 a Hackberry 18 in. dia.

32.41 set post on right bank of Wabash R. from which

a Elm 6 in. dia. bears N 60° W 18 M. dist. &

a Hickory 6 " " " S 63 1/2° W 15 " "

Level 1. rate land. Timber Sugar, Walnut,
 Locust, Beech, Elm & V. Upr. Spice, Pawpaw &.

South between Sec. 23 & 24

4.50 enter Pond

12.00 leave Do

19.44 a Buckeye 16 in. dia.

22.35 set post on right bank of Wabash River from which

a Hackberry 22 in. dia. bears N 29° E 37 1/2 M. dist. &

a Do 26 " " " N 55° W 7 " "

Level rich 1. rate land. Timber Hackberry,
 Walnut, Buckeye, Locust & V. Upr. Pawpaw &.

South between Sec. 2 & 3

13.47 a Lym 24 in. dia.

19.50 a Hickory 24 " "

40.00 set of Sec. post from which

a Beech 22 in. dia. bears S 54° W 7 1/2 M. dist. &

T. 27 N., R. 5 E., S. 2 Mer. Ind. Co.
Chs. 10?

Water Beech 4 in. dia. bears N 71 E 36 Ws. dist.

62.75 a Mulberry 4 " "

65.00 enter Willow Swamp

75.00 leave Do

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 16 in. dia. bears S 58 E 18 Ws. dist. S,

a Do 14 " " " N 30 1/2 W 28 " "

Level wet 2^d rate land. Timber Ash, Beech, Elm,
Sugar, Hickory, Sycam, Willow &c. Upr. Ironwood,
Ash, Willow, Spice &c.

East on Random between Sec. 2 & 11

13.90 a Branch 4 Ws. wide course S E

31.00 a Pond, offset North 1.00 Ch.

34.00 reduced offset

40.00 set temp. g. sec. post

52.80 a Branch 6 Ws. wide course S.

80.42 Intersect N. S. line 28 Ws. S. of post.

Level wet 2^d rate land. Timber Ash, Sugar, Beech,
Elm, Sycam &c. Upr. Spice, Ash, Elm, Ironwood,
Hickory &c.

West Connected between Sec. 2 & 11

20.91 a R. Oak 14 in. dia. on true line

40.21 set g. sec. post at aver. dist. from which

a Beech 18 in. dia. bears N 44 W 37 Ws. dist. S,

a Do 20 " " " S 6 E 35 " "

59.95 a Beech 18 " " on true line

80.42 to sec. cor.

South between Sec. 10 & 11

19.35 a Beech 18 in. dia.

20.75 a Branch 6 Ws. wide course E S E

40.00 set g. sec. post from which

a Beech 16 in. dia. bears S 20 E 39 Ws. dist. S,

a Sycam 4 " " " North 6 " "

T. 27 N., R. 5 E. 2^d Mer. Ind. a
Ch. Sp.

crossings leave the same at
37.50 course SE
40.00 set of sec. part from which
a Sugar 22 in. dia. bears S 20 E 32 W. dist. 2
a Red Oak 8 " " " N 21 W 24 " " "
49.75 a spring branch course SE
50.50 same stream " SN
52.25 same stream 5 Ws. wide course SE
56.10 a Sugar 20 in. dia.
80.00 set part cor. of Sec. 14, 15, 22 & 23 from which
a Beech 15 in. dia. bears S 44 E 25 W. dist. 2
a B. Ash 4 " " " S 76 W 32 1/2 " " "
Rolling rich 2^d rate land, Timber Sugar,
Ash, Walnut, Beech, Elm, Hickory &
Upr. Spice, Ash, Ironwood &

East on Random between Sec. 14 & 23
10.30 a Branch 6 Ws. wide course S.
25.00 enter Willow Swamp & offset 5.00 Ch. South
40.00 set temp. of sec. part
80.20 intersect N & S line 53 Ws. S. of part -
First 25.00 Ch. Rolling 2^d rate. Balance
level, part wet inferior 2^d rate, balance
level rich 1st rate land. Timber Beech,
Ash, Elm, Bur Oak, Hackberry, Walnut,
Sugar & Upr. Spice, Ash, Willow, Hickory,
Pawpaw &

West Corrected between Sec. 14 & 23
20.04 a Honey Locust 8 in. dia. on true line
40.10 set of sec. part at aver. dist. from which
a B. Ash 14 in. dia. bears N 23 1/2 W 9 Ws. dist. 2
a Bur Oak 5 " " " S 16 1/2 E 17 " " "
61.04 a Beech 20 " " on true line
80.20 to sec. cor.

T. 27 N., R. 5 E., 2^d Mer. Ind.^a
Ch. No.

South between Sec. 22 & 23

0.50 cut E. bend of a Branch 6 lks. wide

12.75 a Branch 12 lks. wide course SE

18.70 the same stream " SW

19.30 a Blue Ash 24 in. dia.

34.50 enter Bottom land

38.43 set post on right bank of Wabash R. from which

a Bur Oak 40 in. dia. bears N 29 E 23 lks. dist. &

a Blue Ash 18 " " " N 83 1/2 W 31 " "

Broken inferior State land. Timber

Beech, Ash & Up. Spice, Dogwood &c.

South between Sec. 3 & 4

18.26 a Beech 16 in. dia.

40.00 set g. sec. post from which

a Bur Oak 16 in. dia. bears S 77 E 17 lks. dist. &

a Red Elm 6 " " " N 10 W 17 " "

41.00 a Willow Swamp

51.50 a Maple 22 in. dia.

56.50 a Willow Swamp

60.00 leave Do

73.50 a Swamp, offset East 4.00 Ch.

79.50 reduced offset.

80.00 set post Cor. of Sec. 3 & 4, 9 & 10 from which

a Hickory 14 in. dia. bears N 87 1/2 W 18 lks. dist. &

a W. Elm 18 " " " S 7 E 9 " "

Level wet swampy 3^d rate land. Timber

Elm, Maple, B. Ash, Hickory, Bur Oak &c.

Up. Willow, Spice, Ash &c.

East on Random between Sec. 3 & 10

12.50 a Willow Swamp 8.50 Ch. South offset

27.50 reduced offset

40.00 set temp. g. sec. post

60.50 a large Pond or Swamp, North. Offset

South 1.00 Ch. Outlet 15 lks. wide course S.

T. 27 N., R. 5 E. 2. Mer. Ind.?

Ch. 2. 10?

65.00 reduced offset

80.22 Intersect N. & S. line 17 W. S. of post -
Level wet inferior 2. rate land. Timber Ash,
Hickory, Beech, Elm, Maple & Upr. Ash,
Willow, Hickory &c.

West Corner between Sec. 3 & 10

20.47 a W. Elm 20 in. dia. on true line

40.11 set of sec. post at aver. dist. from which
a Beech 15 in. dia. bears S 12 E 16 W. dist. 2,
a Do 14 " " " N 80 W 54 " "

57.11 a Maple 20 " " on true line

80.22 to sec. cor.

South between Sec. 9 & 10

13.50 a Hickory 24 in. dia.

35.00 a Branch 8 W. wide course S E

40.00 set of sec. post from which
a Beech 14 in. dia. bears S 53 W 20 W. dist. 3,
a Poplar 8 " " " North 5 " "

42.00 same stream course S W

42.50 Do " S E

43.00 Do " S W

44.75 Do " S E

60.28 a Beech 44 in. dia.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Beech 10 in. dia. bears S 41 E 12 W. dist. 2,
a Sugar 16 " " " N 73 W 16 " "
Level 2. rate land. Timber Ash, Poplar,
Beech, W. Oak, Elm, Sugar & Upr. Ash,
Sugar, Ironwood, Hickory, Spice &c.

East in Random between Sec. 10 & 15

18.10 a Branch 12 W. wide course S W

21.45 a Do 4 " " " S W

40.00 set temp. of sec. post

T. 27 N., R. 5 E. 2^d Mer. Ind^a

Chs. Crs.

80.38 Intersect N^d G. line 20 lks. S. of port—
Rolling rich 2^d rate land. Timber Ash, Oak,
Hickory, Beech, Sugar, Elm, Poplar &c. Upl. Spruce
Ash, Sugar, Ironwood, Hornbeam, Dogwood, Hickory &c.

West Connected between Sect. 10 & 15

21.54 a Beech 18 in. dia. on true line

40.19 set g. sec. part at wrec. dist. from which
align Ash 5 in. dia. bears N 64° W 20 lks. dist. &
an Ironwood 6 " " S 60° E 21 " "

22.03 a W. Oak 16 " " on true line

80.38 to sec. cor.

South between Sect. 15 & 16

12.00 a Branch 6 lks. wide course S E. various crossings at

13.50 leave same Branch " S E

24.05 a Sugar 16 in. dia.

27.30 a Spring branch 4 lks. wide course E.

33.00 a Stream 15 lks. wide course S.

37.00 leave the same stream course S W.

38.60 Do S E

40.00 set g. sec. part from which
a Sugar 20 in. dia. bears S 71° W 13 lks. dist. &
a B. Walnut 3 " " N 5° E 16 " "

47.50 cut the W. bend of same stream

55.75 same stream course S W

56.50 Do " S E

57.45 a Beech 18 in. dia.

59.20 same stream course S W

60.75 Do " S E

61.50 Do " S W

65.50 Do " S E

80.00 set part cor. of Sect. 15, 16, 21 & 22 from which
a Beech 20 in. dia. bears East 9 lks. dist. &
a Waterbeech 6 " " N 34° W 36 " "
Rolling 2^d rate land. Timber Ash, Beech, Sugar

T. 27 N., R. 5 E. 2^d Mer. Ind.^a

Ch. Spr.

Elm, Walnut & Ulp. Spice, Hickory, Ash, Sugar,
Buckeye, Waterbeech &c

Start on Random between Sec. 10 & 15

4.50 a Branch or stream 12 Ws. wide course S.

22.00 a Do 5 Ws. wide course SSW

40.00 set temp. of sec. part

48.25 a Branch 5 Ws. wide course S.

57.00 a Do 4 " " " SSW

70.15 a Do 6 " " " SSE

80.49 Intersect N. S. line 18 Ws. S. of part -

Rolling 2^d rate land. Timber Beech, Ash, Sugar,
Elm, Poplar, Oak, Walnut & Ulp. Spice, Ash,
Sugar, Juncood, Hickory &c

West Connected between Sec. 15 & 22

24.14 a Water Beech 6 in. dia.

40.24 set of sec. part at aver. dist. from which

a Beech 24 in. dia. bears S 37° W 13 Ws. dist. &

a Sugar 8 " " " N 78° E 4 1/2 " "

61.44 a W. Elm 14 " " on true line

80.24 to sec. cor.

South between Sec. 21 & 22

4.00 a Stream 20 Ws. wide course SW

10.75 Do course E.

19.00 a Beech 18 in. dia.

20.50 same stream course SW

31.75 Do " " SE

40.00 set of sec. part from which

a W. Elm 6 in. dia. bears N 31° E 22 Ws. dist. &

a Do 4 " " " S 51° W 4 " "

52.78 a W. Elm 14 " "

80.00 set part cor. of sec. 21, 22, 27 & 28 from which

a Buckeye 14 in. dia. bears S 51° E 8 Ws. dist. &

a Hackberry 8 " " " N 18° W 23 " "

Ch. Sk. T. 27 N., R. 5 E. 2. Mer. Ind.^a

First half mile broken 2^d rate land, last half mile level 1st rate land. Timber Ash, Elm, Beech, Walnut, Sugar, Bur Oak &c. Ulp. Spice, Hickory, Ash, Sugar, Pawpaw &c.

East on true line between Sec. 22 & 27

12.39 a Buckeye 16 in. dia.

18.64 set post on right bank of Wabash R. from which a N. Elm 18 in. dia. bears N 22° W 25 Uls. dist. 4

a Buckeye 4 " " S 72° W 23 " "

Level 1st rate land. Timber Sugar, Walnut, Elm, Bur Oak, Hackberry, Beech, Buckeye &c. Ulp. Pawpaw, Buckeye &c.

West on true line between Sec. 21 & 28

14.90 a Hackberry 22 in. dia.

24.50 a Pond

36.00 Intersect E. Boundary of Joseph Richardville's Reservation 26.70 lbs. N. of the S.E. corner thereof, set post in Pond from which

a Jack Oak 8 in. dia. bears N 64° E 10 Uls. dist. 2

along Ash 16 " " S 18° E 12 " "

Level wet 2^d rate land. Timber Hackberry, Ash, Buckeye, Elm &c. Ulp. Pawpaw &c.

South between Sec. 27 & 28

17.22 a Hackberry 18 in. dia.

24.73 set post on right bank of Wabash R. from which

a Hackberry 18 in. dia. bears N 20° E 34 Uls. dist. 8

a Coffeetree 16 " " N 42° W 9 " "

Level rich 1st rate land. Timber Bur Oak, Walnut, Hackberry, Elm, Locust, Sugar &c. Ulp. Pawpaw &c.

South between Sec. 4 & 5

19.16 a Beech 22 in. dia.

30.50 Outlet of a large Pond running W.

T. 27 N., R. 5 E. 2 Mer. Ind. a

Ch. 10.

40.00 set of sec. part from which
a B. Ash 18 in. dia. bears N 76 E 7 Ws. dist. &
an Ironwood 8 " " " N 60 W 5 " "
Large Ponds both E. & W.

56.50 a Pond or Willow Swamp, Offset 1.50 Ch. E.

61.00 reduced offset

61.90 a W. Oak 30 in. dia.

80.00 set part cor. of sec. 4, 5, 8 & 9 from which
a Beech 22 in. dia. bears S 28 W 10 Ws. dist. &
a Do 20 " " " N 68 E 37 " "
Level wet 2nd rate land. Timber Beech, Ash, W. Oak,
Sugar, Hickory, Poplar & Ulp. Spice, Ash, Sas-
saparilla, Dogwood, Ironwood, Sugar, Hazel &c.

East on Random between Sec. 4 & 9

40.00 set temp. of sec. part

79.80 Intersect N & S line 10 Ws. N. of part -
Level 2nd rate land. Timber Beech, Ash, Elm
Hickory, W. Bar Oak, Poplar, Ulp. Ash, Sugar,
Hornbeam, Ironwood &c.

West Corrected between Sec. 4 & 9

19.96 a Beech 14 in. dia. on true line

39.90 set of sec. part at aver. dist. from which
a Beech 12 in. dia. bears S 71 1/2 W 9 Ws. dist. &
an Ironwood 5 " " " N 73 E 21 " "

59.94 a Lym 16 " " on true line

79.80 to sec. cor.

West on true line between Sec. 5 & 8

0.00 a Pond, offset South 2.50 Ch.

10.00 reduced offset

13.85 a Poplar 18 in. dia.

24.50 a Branch 8 Ws. wide curve S S W

29.33 Intersect E. Boundary of Indian Reservation
set part from which

E. 27 N., R. 5 E. 2^d Mer. Ind.?
Ch. Gr.

a W. Elm 20 in. dia. bears N 53 E 22 Ws. dist. 8
 a Beech 18 " " " S 70 E 40 " "
 Level 2^d rate land. Timber Beech, Ash, Elm,
 Oak, Poplar & Upr. Spice &c.

South between Sec. 8 & 9

23.00 a Beech 20 in. dia.

40.00 set of sec. post from which

a Spruce 4 in. dia. bears N 56 W 8 Ws. dist. 4

a Hickory 3 " " " S 73 E 15 " "

66.90 a Beech 22 " "

80.00 set post cor. of sec. 8, 9, 10 & 17 from which

a W. Elm 22 in. dia. bears S 88 E 23 Ws. dist. 8

a Beech 16 " " " N 65 W 25 " "

Level 2^d rate land. Timber Beech, Ash, Elm,

Sugar, Oak &c. Upr. Spice, Ash, Sugar, Hickory &c.

East on Raudem between Sec. 9 & 10

13.50 a Branch 4 Ws. wide course S E.

22.40 a Do 6 " " " S.

37.75 a Do 6 " " " S.

40.00 set temp. of sec. post

77.50 a Branch 6 Ws. wide course S W.

79.82 Intersect N & S line 23 Ws. N. of post -

Part level, part rolling 2^d rate land. Timber

Beech, Ash, Elm, Sugar, Poplar, Oak &c.

Upr. Spice, Ash, Sugar, Hemlock, Dogwood &c.

West Connected between Sec. 9 & 10

20.27 a Beech 10 in. dia. on true line

39.91 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears South 6 Ws. dist. 8

a Sugar 4 " " " N 28 E 10 " "

58.77 a Beech 15 " " on true line

79.82 to sec. cor.

Complete

T. 27 N., R. 5 E. 2^d Mer. Ind.
Ch. 1st

West on true line between Sec. 8 & 17

8.00 a Branch 8 lks. wide course S.

19.50 a Beech 22 in. dia.

30.87 Intersect E. Boundary of Indian Reservation, set
part from which

a Beech 16 in. dia. bears N 66 E 11 lks. dist. &

a Do 16 " " " S 25 E 61 " "

Rolling 2^d rate land. Timber Beech, Ash, Poplar,
Oak, Hickory & Upr. Spice, Ash, Sugar, Hickory &

South between Sec. 16 & 17

17.93 a Beech 18 in. dia.

24.50 a Branch 12 lks. wide course SW

33.60 a spring branch, course W.

39.50 a Do " W.

40.00 set of sec. part from which

a Sugar 18 in. dia. bears N 52 1/2 E 16 lks. dist. &

a Do 18 " " " S 62 W 32 " "

42.85 a spring branch 4 lks. wide course W.

63.00 a Poplar 20 in. dia.

80.00 set part cor. of sec. 16, 17, 20 & 21 from which

a Beech 22 in. dia. bears S 42 W 12 lks. dist. &

a Do 22 " " " N 39 E 22 " "

Part level, part rolling 2^d rate land. Timber
Beech, Ash, Sugar, Elm, W. Oak, Poplar, Walnut
& Upr. Spice, Ash, Sugar, Hickory, Ironwood &

East on Randon between Sec. 16 & 21

15.10 a Branch 4 lks. wide course S.

23.65 a Do 4 " " " S.

40.00 set temp. of sec. part

42.50 a Branch 6 lks. wide course SSE

79.80 Intersect N & S. line 5 lks. N. of part

Rolling rich 2^d rate land. Timber Beech, Ash,
Elm, Poplar, Walnut, Sugar & Upr. Spice,
Ash, Hickory, Ironwood, Elm, Sugar &

T. 27 N., R. 5 E. 2. Mer. Ind.^aChs. 1st

West Corrected between Sec. 16 & 21

19.65 a cherry 6 in. dia. on true line

39.90 set of sec. post at aver. dist. from which
a Beech 18 in. dia. bears S 41 1/2° W 18 lks. dist. 8
a Do 24 " " " N 27° E 25 " "

59.50 a Beech 14 " " on true line

79.80 to sec. cn.

West on true line between Sec. 17 & 20

10.60 a Spring branch 3 lks. wide course NW

17.25 a Stream 20 lks. wide course S.

20.17 a Buckeye 17 in. dia.

21.10 a Spring branch 3 lks. wide course SE

31.75 Intersect E. Boundary of Indian Reservation

31.96 Chs. North of the NW corner of Joseph
Richardville's Reserve, set post from which
a Beech 18 in. dia. bears N 59 1/2° E 20 lks. dist. 8
a Hickory 4 " " " S 20° E 26 " "
Rolling rich State land. Timber Beech, Sugar
Ash, Elm, Walnut, Buckeye & Upr. Spice, Ash &c.

South between Sec. 20 & 21

24.76 a Beech 20 in. dia.

32.18 Intersect N. Boundary of Joseph Richardville's
Reservation 32.58 Chs. East of the NW corner

thereof, set post from which

a B. Walnut 5 in. dia. bears N 55° E 44 lks. dist. 8

a Hickory 3 " " " N 39 1/2° W 20 " "

Rolling rich State land. Timber Beech,
Sugar, Ash, Elm, Walnut &c. Upr. Spice, Ash,
Sugar, Buckeye, Pawpaw &c.Meanders of Wabash River. Right bank
down stream. Beginning on the line between Ran-
ges 5 & 6 E. at a post which stands 71.62 Chs. South
of the cn. of Twp. 13 & 24, thence:

T. 27 N., R. 5 E. 2. Mer. Ind. 171

Courses	Chs.	Sp.	Remarks.
N 87° W	2.00		In Sec. 13
S 77° W	13.50		
N 76° W	7.00		
N 73° W	8.00		at 5.50 Chs. mouth of a Branch 15 Wks. wide fr.
N 85° W	5.50		SW
S 81° W	4.50		
S 56° W	5.50		
S 37° W	5.00		
S 22° W	1.56		to post in line between Secs. 13 & 24 32.41 Chs. East of Sec. corner
S 20° W	5.00		In Sec. 24
S 5° W	2.50		
S 2° W	3.00		
S 16° W	3.50		
S 31° W	3.50		
S 71° W	4.50		
S 77° W	3.50		
S 72° W	4.50		
S 82° W	7.50		
S 87° W	4.50		
S 85° W	4.75		to post in line between Secs. 23 & 24 22.35 Chs. South of Sec. corner.
S 80° W	8.50		In Sec. 23
S 77° W	12.00		
S 64° W	4.50		
S 60° W	9.00		
S 68° W	9.50		
S 80° W	4.00		
S 88° W	4.25		mouth of a stream 20 Wks. wide from N.
S 88° W	6.50		
N 85° W	7.50		
N 83° W	6.50		
S 86° W	6.00		

T. 27 N., R. 5 E. 2^d Mer. Ind.?

Evinsson Ch. Cr.

Remarks.

S76°W 6.18 to put in line between Sec. 22 & 23
38.43 Chs. South of Sec. corner.

S70°W 4.00 In Sec. 22 - at 1.00 Ch. mouth of a Brook
10 Chs. wide from N.

S60°W 9.50 at 6.50 Ch. mouth of a Branch 6 Chs. wide
from N.

S64°W 3.50

S60°W 7.00

S63°W 4.00

S67°W 4.50

S60°W 4.50

S67°W 11.00

S52°W 10.00

S45°W 16.50 at 12.50 Ch. a Stream 25 Chs. wide from N.

S31°W 3.00

S17°W 4.57 to put in line between Sec. 22 & 27
18.64 Chs. East of Sec. corner.

S14°W 4.00 In Sec. 27

S19°W 2.00

S25°W 10.00

S36°W 7.00

S56°W 4.50

S68°W 2.50

S74°W 3.25 to put in line between Sec. 27 & 28
24.73 Chs. South of Sec. corner.

S77°W 8.50 In Sec. 28

S88°W 6.50

N85°W 7.50

S87°W 13.97 Intersect E. Boundary of Joseph Richard-
ville's Reserve 26.70 Chs. South of the
Sec. corner on the same line.

Saturday, May 3, 1828 Thomas Brown
Deputy Surveyor.

T. 27 N., R. 5 E. 2. Mer. Ind. a
Ch. 8th.

South between Sec. 5 & 6 Var. 5th 16th E.

- 4.00 leave wild hog Swamp
 25.00 enter Willow Swamp E & W
 27.33 a Maple 20 in. dia.
 35.00 leave Swamp
 36.33 a W. Oak 28 in. dia.
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S 42 E 56 W. dist. 4
 a Do 14 " " " N 57 W 28 " "
 50.07 a W. Oak 28 " "
 52.34 a Bur Oak 46 " "
 74.61 a W. Elm 30 " "
 80.00 set post cor. of sec. 5, 6, 7 & 8 from which
 a W. Elm 7 in. dia. bears N 13 E 8 W. dist. 2
 a Cherry 36 " " " S 12 E 20 " "
 Level 2nd rate land. Timber Elm, Maple, Oak,
 Sugar & Upl. Hawth, Spice &c.

East in Random between Sec. 5 & 8

- 51.05 Intersect E. Boundary 18 W. N. of post—
 Land &c. same as last described.

N 89.48 W. Connected between Sec. 5 & 8

- 0.58 a W. Elm 36 in. dia.
 11.05 set of sec. post from which
 a Beech 9 in. dia. bears N 62 W 28 W. dist. 2
 a Do 22 " " " S 31 E 27 " "
 18.97 a Beech 12 " "
 31.57 a Cherry 4 " "
 51.05 to Sec. cor.

West in Random between Sec. 6 & 7

- 45.10 a Road, N & E
 69.95 Intersect W. Boundary 35 W. S. of post—
 Gently rolling 2nd rate land. Timber Beech, Elm,
 Ash, Sugar & Upl. Spice, Hawth &c.

T. 27 N., R. 5 E. 2^d. Mer. Ind. a

Cor. Sec.

589.46 E. Connected between Sec. 6 & 7

Bearings for corner in W. Boundary:

a Beech 28 in. dia. bears N 55 E 12 1/2 W. dist. 8

a R. Elm 8 " " S 8 E 29 " "

3.15 a Poplar 30 " "

10.03 a Beech 9 " "

29.95 set g. sec. post from which

a Beech 24 in. dia. bears N 55 W 17 1/2 W. dist. 8

a Hornwood 5 " " S 2 E 41 " "

30.55 a Beech 8 " "

51.56 a Beech 20 " "

69.95 to sec. cor.

South between Sec. 7 & 8

8.38 a Hickory 24 in. dia.

37.21 a Do 12 " "

40.00 set g. sec. post from which

a Gray Ash 8 in. dia. bears N 46 W 10 W. dist. 8

a Do 8 " " S 34 E 44 " "

44.78 a W. Oak 36 " "

63.00 a Beech 10 " "

80.00 set post cor. of Sec. 7, 8, 17 & 18 from which

a Beech 18 in. dia. bears N 83 W 11 W. dist. 8

a Do 20 " " N 55 E 24 " "

Land &c. same as last described.

East on Random between Sec. 8 & 17

28.00 an Indian trace, NE

50.34 Intersect. E. Boundary 36 W. N. of post -

Land &c. same as last described.

589.35 W. Connected between Sec. 8 & 17

1.78 a Beech 9 in. dia.

10.34 set g. sec. post from which

a Poplar 30 in. dia. bears S 25 W 25 W. dist. 8

a Do 26 " " North 4 " "

T. 27 N. R. 5 E. 2. Mer. Ind. a.
 67. 30.

12.59 a Poplar 28 in. dia.
 34.94 a Beech 18 " "
 50.34 to sec. cor.

West in Random between Sec. 7 & 18

68.90 Intersect W. Boundary 8 W. S. of port -
 Rolling State land. Timber Beech, Ash, Elm,
 Sugar, Walnut & Wp. Spice &c. January 1. 1839

East Connected between Sec. 7 & 18

0.42 a Beech 24 in. dia.
 10.50 a Do 14 " "
 28.90 set of sec. port from which
 a Beech 9 in. dia. bears S 44 E 21 W. dist. 8
 a R. Elm 5 " " " N 6 E 26 " "
 32.45 a Sugar 10 " "
 49.50 a Beech 24 " "
 68.90 to sec. cor.

South between Sec. 17 & 18

7.64 a Beech 14 in. dia.
 17.76 a Sugar 26 " "
 40.00 set of sec. port from which
 a Beech 26 in. dia. bears N 22 W 22 W. dist. 8
 a Sugar 19 " " " S 87 E 7 " "
 52.00 a Beech 36 " "
 77.64 a Do 20 " "
 80.00 set port cor. of sec. 17, 18, 19 & 20 from which
 a Beech 22 in. dia. bears S 45 E 14 W. dist. 8
 aly. Ash 26 " " " N 61 W 20 " "
 Land &c. same as last described.

East in Random between Sec. 17 & 20

27.00 enter Willow Pond
 28.50 leave Do
 41.40 an Indian trace, N.

T. 27 N., R. 5 E. 2^d Mer. Ind.^a

Chr. Sp.

50.68 Intersect E. Boundary 14th M^r. S. of port -
Broken 2^d rate land. Timber Beech, Sugar, Ash &
Ugly. Spice &c.

989.51¹ W. Corrected between Sec. 17 & 20

3.46 a Beech 26 in. dia.

10.68 set g. sec. post from which
a Sugar 5 in. dia. bears S 11 E 13 M^r. dist. 8
a Walnut 8 " " " N 37 W 16 " "

16.02 an Ironwood 6 in. dia.

32.18 a Beech 14 " "

50.68 to sec. cor.

West NW Random between Sec. 18 & 19

38.67 an Indian trace, N.

38.80 over dry Creek 10 M^r. wide comes S.

67.90 Intersect W. Boundary 12 M^r. S. of port -
Land &c. same as last described.

East Corrected between Sec. 18 & 19

Bearings for corner in W. Boundary:

a Beech 24 in. dia. bears N 68 E 19 M^r. dist. 8

a Do 7 " " " S 72 E 50 " "

4.86 a Sugar 18 " "

8.44 a Buckeye 10 in. dia.

27.90 set g. sec. post from which

a Sugar 7 in. dia. bears S 55 E 6 M^r. dist. 8

a Buckeye 8 " " " N 50 W 29 " "

30.03 a B. Elm 10 " "

48.01 a Beech 24 " "

67.90 to sec. cor.

South between Sec. 19 & 20

2.95 a Beech 20 in. dia.

16.70 a Do 30 " "

32.00 over N. side of field in bottom

Ch. Sk. T. 27 N., R. 5 E. 2. Mer. Ind. a

37.20 over S. side of field
 40.00 set q. sec. post from which
 a Hackberry 12 in. dia. bears N 80° W 14 lks. dist. &
 a Buckeye 6 " " " S 55° E 40 " "
 43.30 a W. Elm 16 " "
 51.17 a gray Ash 12 " "
 53.83 a Buckeye 22 " "
 54.00 Intersect N. Boundary of J. Godfrey's survey
 N. 15, set post from which
 a Buckeye 22 in. dia. bears North 16 lks. dist. &
 a Hawth 4 " " " S 87° E 6 " "
 Measured along said line West to the NW. cor.
 of said survey 9.04 Ch.
 Land part same as last described, remainder
 rich Bottom. Timber Ash, Elm, Buckeye,
 Pawpaw &c.

West on Random between Sec. 19 & 30
 9.82 to W. Boundary of J. Godfrey's survey N. 15,
 set temp. post
 67.00 Intersect W. Boundary 5 lks. N. of post -
 Level rich bottom land. Timber Ash, Elm,
 Buckeye, Walnut &c. Upr. Pawpaw, P. Ash &c.

East Corrected between Sec. 19 & 30
 Bearings for cor. in W. Boundary:
 a Hackberry 12 in. dia. bears S 77° E 20 lks. dist. &
 a Buckeye 24 " " " N 31° E 50 " "
 8.34 a Buckeye 10 " "
 16.00 a Hackberry 18 " "
 27.00 set q. sec. post from which
 a Hickory 10 in. dia. bears S 3° E 8 lks. dist. &
 a Buckeye 8 " " " N 39° E 8 " "
 31.38 a Buckeye 6 " "
 48.38 a W. Elm 28 " "
 57.18 Intersect W. Boundary of J. Godfrey's survey

T. 27 N., R. 5 E. 2^d Mer. Ind.^a

N^o. 15, set post from which.

a Buckeye 10 in. dia. bears West 12 lks. dist. &

a Do 14 " " " S 36° W 21 "

Measured along said W. Boundary of J. Godfrey's survey N^o. 15, North 26.03 Chs. to the NW. cor. of the same. January 2, 1839

Meanders of Wabash River. Right bank down stream. Beginning at SW. corner of J. Godfrey's survey N^o. 15, thence:

Courses Chs. & R.	Remarks.
N 61 ¹ / ₄ ° W 8.50	In Sec. 30
N 75 ¹ / ₂ ° W 22.41	
N 58 ³ / ₄ ° W 16.47	
N 38 ¹ / ₂ ° W 21.63	to post in W. Boundary.
	January 2, 1839

General description.

The largest portion of the land in this Township is 2^d rate, the soil from 4 to 6 inches deep.

Timber on the upland principally Sugar Ash, Elm, Oak &c.

Elm, Buckeye & Ash on the bottoms.

I hereby certify that in pursuance of a contract with Robert T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, dated 10th day of May 1838, and in strict conformity with the Laws of the United States and the Instructions of said Surveyor General, I have surveyed Township N^o. 27 North of Range N^o. 5 East of the 2^d Principal Meridian in the State of Indiana. And I do further certify, that the foregoing are the true and original Field

179

T. 27 N., R. 5 E. 2. Mer. Ind. &

Notes of said survey, executed as aforesaid.

Certified this 13. day of January 1839

Arthur St. C. Vance

Deputy Surveyor.

John F. Lewis

David F. Frazier

mark

} Chain carriers

John P. Johnson, Marker.

North between Sec. 35 & 36 Var. 5. 20. E

9.98 a Sugar 20 in. dia.

25.91 an Elm 18 " "

40.00 set g. sec. part from which

a Beech 18 in. dia. bears N 77 W 38 W. dist. &

a Walnut 8 " " " N 72 E 36 " "

47.50 an Ironwood 5 in. dia.

67.92 a Beech 12 " "

80.00 set part cor. of sec. 25, 26, 35 & 36 from which

a Sap. Ash 18 in. dia. bears N 65 W 13 W. dist. &

a Water Beech 8 " " " S 21 E 4 " "

The last 15.00 Ch. rich bottom, all South of
that rolling good 2. rate land. Timber Beech,
Sugar, Oak, Ash, Poplar, Walnut, Elm, Hick-
ory & Wyl. Spice &c.

East on Pradom between Sec. 25 & 36

51.30 a Stream 15 Ws. wide course N.

80.00 Intersect E. Boundary 7 Ws. S. of post -

The West 50.00 Ch. first rate bottom land,
the remainder rolling 2. rate. There is a rich
bottom about 20.00 Ch. in breadth between
the hill & Prairie

West Corrected between Sec. 25 & 36

13.14 a Beech 15 in. dia.

29.52 an Elm 14 " "

T. 27 N., R. 5 E. 2. Mer. Ind.^e
Ch. Sk.

40.00 set of sec. part from which
a Buckeye 22 in. dia. bears N 16 W 31 Ws. dist. 8
a Walnut 10 " " " S 6 E 42 " "
54.34 a Sugar 20 " "
67.55 a Walnut 24 " "
80.00 to sec. cor.

North between Sec. 25 & 26

1.00 enter wet Prairie
36.51 Intersect S.E. corner of Grant N. 12 at post
and mound.
Prairie wet & very uneven with a heavy
growth of coarse grass.

North between Sec. 34 & 35

15.08 a Beech 36 in. dia.
28.58 an Ironwood 8 in. dia.
40.00 set of sec. part from which
a Dogwood 10 in. dia. bears S 88 E 36 Ws. dist. 8
a Beech 28 " " " N 30 W 21 " "
46.97 an Elm 24 " "
66.67 a W. Oak 36 " "
80.00 set part cor. of sec. 26, 27, 34 & 35 from which
a Hickory 16 in. dia. bears S 48 W 10 Ws. dist. 8
a Bur Oak 10 " " " N 60 E 19 " "
The North 20.00 Ch. runs near the edge of
the Prairie, South of Prairie willing 2. rate.
Timber Beech, Oak, Sugar, Elm, Hickory,
Ash & Vly. Spice, Ironwood &c.

East on Rauden between Sec. 26 & 35

13.00 enter Prairie
16.00 leave " & enter Plum & Elm thicket
23.75 a stream 10 Ws. wide course N.
29.00 enter Prairie & Cornfield.
42.50 leave field

T. 27 N., R. 5 E. 2. Mer. Ind.
Ch. 10.

58.50 enter point of timber

61.50 enter Prairie

80.00 Intersect N. S. line 6 M. S. of post—
Prairie dry & rich. Timber Oak & Elm

West Connected between Sec. 26 & 35

40.00 set g. sec. post at aver. dist. & erected a mound
in field.

69.65 an Elm 36 in. dia.

80.00 to sec. cor.

There is a skirt of Prairie extending about
5.00 Ch. North, and 15.00 Ch. South of line,
that is dry and rich

North between Sec. 26 & 27

5.50 enter wet Prairie

12.00 enter point of timber

14.00 leave grove

37.12 Intersect SW. corner of Grant N. 12 at post.
Prairie wet & very rough, with a heavy
growth of coarse grass.

From cor. of Sec. 33 & 34 measured along
Township line between T. 26 & 27 N.

West 33.86 Ch. to the E. Boundary of Grant N. 9
set post from which

a Beech 24 in. dia. bears N 79 E 3 M. dist. &

a Do 14 " " " N 67 W 32 " "

August 4. 1839

North between Sec. 33 & 34

12.61 a Beech 18 in. dia.

27.00 a Hickory 10 " "

40.00 Intersect S. Boundary of Grant N. 24, set
post from which

a Beech 24 in. dia. bears N 5 E 45 M. dist. &

T. 27 N., R. 5 E. 2^d Mer. Ind.^a
Chs. 2^d

a Beech 18 in. dia. bears S 34° W 31 Ms. dist.
Measured along the S. Boundary of said Grant
West 33.86 Chs. to the SW. corner, and 46.14
Chs. to the SE. corner of said Grant.
Land rolling 2^d rate. Timber Beech, Sugar, Oak,
Elm, Ash, Hickory & Upr. Spice &c.

West on true line between Sec. 27 & 34

32.83 Intersect E. Boundary of Grant N. 24, set
post and erected mound in line of Grant
in the Prairie.

The Prairie all wet, with a heavy growth of grass

Measured from the NW. corner of Grant N. 24
along N. Boundary thereof 33.86 Chs. East
& set post between Sec. 27 & 28 from which
a Buckeye 14 in. dia. bears N 7° E 30 Ms. dist. &
an Elm 12 " " " S 29° W 7 " "

North between Sec. 27 & 28

3.70 set post on left bank of Wabash R. from which
an Elm 9 in. dia. bears S 88° E 34 Ms. dist. &
a Hackberry 14 " " " S 83° W 19 " "

Measured along the N. Boundary of Grant
N. 24, East 46.14 Chs. to the NE. corner of
said tract.

Land all river bottom & first rate.

Measured from the SW. corner of Grant N. 12
along the W. Boundary of said Grant, North
42.88 Chs., set post cor. of Sec. 22 & 27 from wh.
a Maple 15 in. dia. bears S 60° E 25 Ms. dist. &
a Do 15 " " " N 82° W 15 " "

West on true line between Sec. 22 & 27

10.34 a Maple 20 in. dia.

25.83 a Buckeye 10 in. dia.

40.00 set g. sec. post from which

Chas. L. K. T. 27 N., R. 5 E. 2^d. Mer. Ind.?

a Buckeye 15 in. dia. bears N 44 E 21 lks. dist. to
 a Walnut 30 " " " S 5 E 29 " "
 50.61 set post on left bank of Wabash River from which
 a Walnut 20 in. dia. bears N 36 E 29 lks. dist. &
 a Hickory 18 " " " S 28 W 12 " "

Measured from the cor. of Sec. 22 & 27 along the
 W. Boundary of Grant N. 12, North to the NW.
 corner of said Grant on the left bank of the Wa-
 bash River 30.94 Ch.

Meanders of Wabash River. Beginning at post
 on left bank, at the NW. corner of Grant N. 12,
 thence down stream:

Courses	Chs. Lks.	Remarks.
S 60 W	20.00	In Sec. 22
S 67 W	4.50	
S 62 W	26.50	
S 44 W	7.00	
S 31 W	1.97	to post in line between Sec. 22 & 27
S 35 W	6.50	In Sec. 27
S 21 W	4.00	
S 11 W	3.00	
S 20 W	7.00	
S 34 W	14.00	
S 62 W	6.50	
S 67 W	6.50	
S 61 W	0.98	to post in line between Sec. 27 & 28
S 69 W	3.00	In Sec. 28
S 84 1/2 W	7.90	at 6.30 Ch. a Stream 15 lks. wide from S.
West	20.00	
N 84 W	3.23	to post in NE. corner of Grant N. 9, Measured on E. Boundary of said Grant

T. 27 N., R. 5 E. 2.^d Mer. Ind.^a

South 2.32 Ch^l. to the NW. corner of Grant N.^o 24.
August 5. 1839

I hereby certify that in pursuance of a contract with E. S. Haines, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date 20th day of April 1839, and in strict conformity to the Laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections Township N.^o 27 North of Range N.^o 5 East of the 2.^d Principal Meridian, in the State of Indiana. And I do further certify that the foregoing are the true and original Field Notes thereof.

Certified this 5th day of August 1839

Chauncy Carter, Dep. Surv^r

J. M. P. Hand } Chain carriers
E. M. Miller }
Wm. J. Shaver, Marker

Extensions and additions to Grants, and Meanders of Canal and Canal lots.

The Canal lots from N.^o 154 to 157 inclusive together with part of 158 included in J. B. Rickardville's Reserve, ^{N.^o 114} contain 9.91 Acres, which is added to the North end of the Reserve as follows:

From NW. corner of this Reserve run

North 5.08 Ch^l. set post & established corner from which

a Buckeye 30 in. dia. bears S 88° W 10 Ch^l. dist. 8

a Do 24 " " " N 60° E 19 " " Thence

East on Random

19.63 Intersect East line of this Reservation at 5.24 Ch^l.

North of the original NE. corner. Set post at

5.08 Ch^l. North of original cor. from which

an Elm 24 in. dia. bears North 34 Ch^l. dist. 8

a Buckeye 10 " " " N 30° W 18 " "

T. 27 N., R. 5 E. 2.^d Mer. Ind.^a

Returned on true line West and corrected.

Canal lots from N.^o 159 to 168 inclusive, together with that part of Lots N.^o 158 & 169 as are included in F. Godfrey's Reservation N.^o 15, contain 20.60 Acres, which quantity is laid off on the North end of this Grant as follows: Extended the West Boundary

North 5.08 Ch.^s set post, NW corner of Grant or Reservation from which

a Buckeye 10 in. dia. bears S 87° E 13 W. dist. 8
an Elm 14 " " " S 74° W 21 " "

From the NW corner of F. Godfrey's Grant N.^o 15
East on Random

9.60 Intersect line of Sec. 19 & 20

40.52 Intersect the E. Boundary of this Grant extended at 5.32 Ch.^s North of original NE corner.

Set post at 5.08 Ch.^s from which

a Buckeye 30 in. dia. bears S 88° W 10 W. dist. 8
a Do 24 " " " N 60° E 19 " "

Returned on true line & set post on line betw.

Sec. 19 & 20 from which

a Walnut 18 in. dia. bears S 57° W 21 W. dist. 8
an Elm 22 " " " N 89° E 27 " "

Meanders of the South bank of Canal
Commenced on the W. Boundary of F. Godfrey's
Grant N.^o 15, at post cor. between Sec. 19 & 30,
thence:

North 21.00 Ch.^s set post & established cor. from which

an Elm 10 in. dia. bears S 7° W 57 W. dist. 8
a Do 12 " " " S 32° W 65 " "

Thence meandered down the S. bank of canal:

Courses Ch. ^s & W.	Remarks
N 80 1/2° W 11.73	In Sec. 19

T. 27 N., R. 5 E. 2^d Mer. Ind.^a

Courses Ch. & M.

Remarks.

N 78 $\frac{3}{4}$ W 4.25

N 76 W 34.00

N 79 $\frac{3}{4}$ W 1.00N 88 $\frac{1}{2}$ W 1.50S 82 $\frac{3}{4}$ W 1.50S 80 $\frac{1}{2}$ W 4.95 to line between Ranges 4 & 5 E. set post from whichan Elm 24 in. dia. bears S 26 $\frac{1}{2}$ W 83 Mts. dist. 8,

a Do 20 " " " S 8 E 76 " "

Thence on Range line

South 30.37 Ch. to corner of Sec. 25 & 36 T. 27 N., R. 4 E. — and Sec. 19 & 30, T. 27 N., R. 5 E.

Meanders of the Rear line of Canal lots.
Commenced at the NW. corner of F. Godfrey's
Grant N. 15, thence:

South 4.19 Ch. to the Rear line of Canal lots, set post from which

a Maple 18 in. dia. bears N 52 E 10 Mts. dist. 8,

a W. Oak 12 " " " S 19 E 25 " "

Thence down the North or Rear line of Canal lots as follows:

Courses Ch. & M.

Remarks.

N 80 $\frac{1}{2}$ W 12.25 In. Sec. 19N 78 $\frac{3}{4}$ W 4.00

N 76 W 34.00

S 84 $\frac{1}{4}$ W 4.50S 80 $\frac{1}{4}$ W 4.21 to line between Ranges 4 & 5 E, set post from wh. a Buckeye 14 in. dia. bears S 51 W 8 Mts. dist. 8,

a Do 18 " " " S 58 E 38 " " Thence

North between Ranges 4 & 5 E.

44.35 to cor. of sec. 18 & 19 and 13 & 24

I hereby certify that in pursuance of Instruct-
ions from the Surveyor General of the United

187

T. 27 N., R. 5 E. 2^d Mer. Ind^a

States for the States of Ohio, Indiana and Michigan, and in strict conformity to the laws of the United States and the Instructions of said Surveyor General, I have surveyed and marked the lines herein before stated, and I do further certify that the foregoing are the true and original field notes thereof executed as aforesaid.

Chauncy Carter, Dep. Surveyor.

J. M. P. Hand }
(E. M. Miller) } Chain carriers
Necessarily absent

W^m J. Shaver, Marker.

I certify that the foregoing transcript of Field Notes of the survey of Township N^o 27 North of Range N^o 5 East of the 2^d Principal Meridian in the State of Indiana, has been compared with the original on file in this office and found to be correct.

Surveyor General's Office,
Cincinnati, Jan. 28. 1845

William Johnston
Sur. Genl.